

## INDIAN INSTITUTE OF ENGINEERING SCIENCE AND TECHNOLOGY

Shibpur, P.O. Botanic Garden (Formerly Bengal Engineering and Science University)
HOWRAH (West Bengal, India)-711103
Phone: 033 26684561

Notice Inviting Tender

Tender No: 32/AR.REG/21-22

Date: 11.02.2022

Sealed quotations are invited from bonafide Contractor for Supplying fitting fixing of PVC doors with dismantling of existing doors with frames at toilet blocks in Physics, Chemistry, Mathematics Department at 8 storied building.

The quotation will be received in the drop box.

Important Information		
Drop Box at	Office of Deputy Registrar, Stores and Purchase	
Start date of tender Submission	12.02.2022	
Time	Between 11:00 am and 5:00 pm (on all working days)	
Last date of tender submission	24.02.2022 at 02:00 pm	
Tender Opening date	To be notified later via mail/phone/SMS by the office of the	
Tender Opening place	Superintendent Engineer.	

REGISTRAR

## Terms & Conditions: -

- 1. To qualify for award of the contract the bidder should have valid civil license and should have satisfactorily completed at least one similar work.
- 2. Quotation are to be submitted as per above mentioned format along with GST, PAN, Valid Trade License.
- 3. All rates quoted should be inclusive of all taxes, levies & duties and Labor Welfare Cess, the rates should be quoted both in figures and words. Request for inclusion of any tax/levy at later stage will not be entertained.
- 4. Transportation, Packing, Forwarding and Insurance Charges if any to be charged should be specifically indicated.
- 5. The Institute reserves the right to accept or reject all or any of the tenders without assigning any reason whatsoever. The decision of the Institute shall be final in case of any dispute.
- 6. The work should be completed within 15 days of issuing of order.
- 7. Materials & accessories supplied/used should be as per specification and of Approved Quality (B.I.S.) or by the authorised officer of IIEST, Shibpur.
- 8. The work should be completed within stipulated period as indicated in the work-order. A Liquidated damages @ 0.5% per week, subject to maximum of 10% of the value of work-order, beyond which the Employer may cancel the Contract.
- 9. Bills in Triplicate should be presented for payment within 15days of supply/completion of work.
- 10. The Order no. is to be noted on both challan & Bill.
- 11. All bills are to be accompanied by order copies and challans as received.
- 12. Payment will be made within 60 days of Submission of proper bills, challans etc. by A/c payee cheque, no Cash payment will be made under any circumstances.
- 13. Date of submission of quotation is 24.02.2022 up to 02:00 pm at the Office of the Deputy Registrar, Stores & Purchase.
- 14. Date & place for opening of tender will be notified later by the office of the Superintendent Engineer.

D. Chakraborty
Assistant Registrar
Stores and purchase

Copy forwarded for information and necessary action to:

- 1. Institute Website
- 2. All Notice Board
- 3. Suptd. Engineer, IIEST, Shibpur

## INDIAN INSTITUTE OF ENGINEERING, SCIENCE & TECHNOLOGY, SHIBPUR,

## HOWRAH-711103

BOQ FOR THE WORK OF: Supplying fitting fixing of PVC doors with dismantling of existing doors with frames at toilet blocks in Physics, Chemistry, Mathematics Department at 8 storied building.

Sl.	Description of items of work	Unit	Unit Rate	Quantity	Amount
No	(Based on PWD schedule of rates w.e.f. 01.11.2017.)	Omi	(Rs)	Quantity	(Rupees)
1	Labour for taking out door and window frame including shutter for repair or replacement of different parts of the frame & refixing the same including mending good all damaes complete. (Concrete and brick work for mending damage will be paid separately) (a) Upto area 2.5 Sq.m	Sqm.	119.00	48.60	5783.40
2	(Page 152, Item 30)  Plaster (to wall, floor, ceiling etc.) with sand and cement mortar including rounding off or chamfering corners as directed and raking out joints including throating, nosing and drip course, scaffolding/staging where necessary (Ground floor). [Excluding cost of chipping over concrete surface]  (ii) With 1:4 cement mortar  (b) 20 mm thick plaster  (Page 189, Item ii)	Sqm.	180.00	16.20	2916.00
	Supplying, Fitting & Fixing Factory made prelaminated P.V.C. door frame of size 50 mmx47 mm with a wall thickness of 5 mm, made out of extruded 5 mm Prelaminated PVC sheet miter cut at two corners and joined with two nos of 1.5 mm long brackets of 15 mm x15 mm M.S. square tube. The two vertical door profiles are to be reinforced with 19 mmx 19 mm M.S. Square tube of 19 gauge, weather seal to be provided through out the frame. The door frame shall be fixed with the wall using 65/100 mm M.S. Screws through the frame by using P.V.C fasteners. A minimum of 4 Nos of screws to be provided for each vertical member and minimum 2 Nos for horizontal member etc. complete as per Manufacturer"s specification and direction of Engineer-in-Charge (Page 115, Item 3)	Mtr.	385.00	128.33	49407.05
	Supplying, Fitting & Fixing 30 mm thick Factory made solid Panel PVC Door Shutter consisting of outer frame made out of M.S. tubes of 19 gauge thickness and size 19 mmx19 mm for styles, top and bottom rails, M.S. frame shall have cost of steel primers of approved make and manufacture, M.S. frame covered with 5 mm th. heat moulded PVC "C" channel of size 30 mm th, 70 mm width out of which 50 mm shall be flat and 20 mm shall be tapered in 45 degree angle on either sides forming styles; and 5 mm th. 95 mm wide PVC sheet out of which 75 mm shall be flat and 20 mm tapered in 45 degree on the inner side to form top & bottom rail and 115 mm wide PVC sheet out of which 75mm shall be flat and 20 mm shall be tapered on both sides to form lock rail. Top, bottom and lock rails shall be provided either side of the panel with 10 mm (5 mmx2) th.,20 mm wide cross PVC sheet as gap insert for top rail and bottom rail. Paneling of 5 mm th. both side PVC sheet to be fitted in the M.S. frame welded/sealed to the styles & rails with 7 mm (5 mm+2 mm) th.x15 mm wide PVC sheet beading on inner side and joined together with solvent cement adhesive. An additional 5 mm th. PVC strip of 20 mm which is to be stuck on the interior side of the "C" channel using PVC solvent adhesive etc. complete excluding all necessary hardwares as	Sqm	1943.00	48.60	94429.80

	per direction of Engineer-in-Charge.			
	(Page 125, Item 15)			
	A. Total		152	536.2 5
	Add 12% for GST on A		183	304.35
	Add 1% for cess on A		1525	3.3625
	Total		172	365.9 6
(a) sind 1,00. Secution The when Continuity Period	hould have satisfactorily completed as a prime contractor at least one sime about the contractor at least of the Period of Maintenance has passed and Engineer has certified that all tractor before the end of this period have been corrected.  "Period of Maintenance." for the work is twelve months from the date of	ecurity dep I defects no	osit which shall be relea stified by the Engineer t	ised o the
work	es or one full monsoon season whichever occurs later. During the period consible for rectifying any defects in construction free of cost to the Employees	of mainten		
work respo I/W no re	s or one full monsoon season whichever occurs later. During the period	of mainten oyer ender Docu	ance, the contractor will	be
work respo I/W no re	The offer to execute the Works described in the Bill of Quantities of the Teferred to above in accordance with the Conditions of Contract enclosed to below (*) the estimated rates, i.e. for a total Contract Price of	of mainten oyer ender Docu	ance, the contractor will  ment in your letter / ter t percenta	be
I/W no re abov	Te offer to execute the Works described in the Bill of Quantities of the Teferred to above in accordance with the Conditions of Contract enclosed to below (*) the estimated rates, i.e. for a total Contract Price of	of mainten byer ender Docu herewith a	ance, the contractor will  ment in your letter / ter t percenta	be